



**Features :**

- Suggestion installation height is around 4 meters
- Optimal design for solar powered Input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Seashore
- Desert Road
- Town House
- Country Road
- Private Garden
- Riverside Drive
- Agriculture Field
- Penthouse Garden

ITEM		Specification
Solar panel	Type	Mono/ Multi Crystalline Silicon
	Voltage	17.4V
	Wattage	14W / 20W
Battery	Type	Lead Acid
	Voltage/Current	12V / 12AH
LED	LED/color	White / Yellow
	Numbers of LED	60pcs
	Inside circle Outside circle	20000mcd 12500mcd
	Operation time	At night
Illuminant	220lumin/3.1lux	
Size	660mm x 370mm x 350mm 14 kg	
Body	Coating Zinc plated steel plate	




**Features :**

- Suggestion installation height is around 4.5 meters
- Optimal design for solar powered Input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency after battery fully charged to supply up to 7 days of illumination
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Street
- Seashore
- Desert Road
- Town House
- Country Road
- Private Garden
- Riverside Drive
- Agriculture Field
- Penthouse Garden

ITEM		Specification
Solar panel	Type	Mono/ Multi Crystalline Silicon
	Voltage	17.4V
	Wattage	40W / 50W
Battery	Type	Lead Acid
	Voltage/Current	12V 50AH
LED	LED/color	White / Yellow
	Numbers of LED	180pcs
	Inside circle Outside circle	20000mcd 12500mcd
	Operation time	At night
Illuminant	660lumin/9.3lux	
Size	810mm x 580mm x 630mm 35 kg	
Body	Coating Zinc plated steel plate	



**Features :**


- Suggestion installation height is around 5 meters
- Optimal design for solar powered input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency after battery fully charged to supply up to 7 days of illumination
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Seashore
- Town House
- Private Garden
- Agriculture Field
- Street
- Desert Road
- Country Road
- Riverside Drive
- Penthouse Garden



ITEM	Specification	
Solar panel	Type	Mono / Multi Crystalline Silicon
	Voltage	17.4V
	Wattage	80W /100W
Battery	Type	Lead Acid
	Voltage/Current	12V 85AH
LED	LED/color	White / Yellow
	Numbers of LED	300pcs
	Inside circle Outside circle	20000mcd 12500mcd
	Operation time	At night
Luminant	1100lumin/15.5 lux	
Packing	1054mm x 567mm x 755mm 62 kg	
Body	Coating Zinc plated steel plate	




**Features :**

- Suggestion installation height is around 6 meters
- Optimal design for solar powered input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency after battery fully charged to supply up to 7 days of illumination
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Street
- Seashore
- Desert Road
- Town House
- Country Road
- Private Garden
- Riverside Drive
- Agriculture Field
- Penthouse Garden

ITEM	Specification	
Solar panel	Type	Mono / Multi Crystalline Silicon
	Voltage	17.4V
	Wattage	85W
Battery	Type	Lead Acid
	Voltage/Current	12V/ 85H
LED	LED/color	White / Yellow
	Numbers of LED	360pcs
	Inside circle Outside circle	20000mcd 12500mcd
	Operation time	At night
Luminant	1100lumin/15.51lux	
Size	1054mm x 567mm x 755mm 64 kg	
Body	Coating Zinc plated steel plate	




**Features :**

- Suggestion installation height is around 6.5 meters
- Optimal design for solar powered Input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Seashore
- Desert Road
- Town House
- Country Road
- Private Garden
- Riverside Drive
- Agriculture Field
- Penthouse Garden

ITEM	Specification
Solar panel	Type: Mono/ Multi Crystalline Silicon
	Voltage: 17.4V
	Wattage: 120W
Battery	Type: Lead Acid
	Voltage/Current: 12V/ 85AH
LED	LED/color: White / Yellow
	Numbers of LED: 480pcs
	Inside circle: 20000mcd Outside circle: 12500mcd
	Operation time: At night
Luminant	1760lumin/24.8 Lux
Size	1579mm x 567mm x 755mm 68 kg
Body	Coating Zinc plated steel plate



SAC01-88XXXXX

Solar Products | Solar Category | Product Number

Reserve code : 0  
Principal color :  
0 = silver gray  
1 = silver  
2 = white

LED color : W white / Y yellow

Number of light/Watt:  
8A = 8L120W


**Features :**

- Suggestion installation height is around 6.5 meters
- Optimal design for solar powered Input and LED illuminating output
- Compact all in one DIY design easy to install
- Maximize solar power efficiency
- Wireless low cost low electricity loss
- Green energy concept design
- Super bright LED homogenous lighting distribution
- Long life duration maintenance free
- Strong housing weather proof design

**Applications :**

- Park
- Seashore
- Desert Road
- Town House
- Country Road
- Private Garden
- Riverside Drive
- Agriculture Field
- Penthouse Garden

ITEM	Specification
Solar panel	Type: Mono/ Multi Crystalline Silicon
	Voltage: 17.4V
	Wattage: 130W/ 175W
Battery	Type: Lead Acid
	Voltage/Current: 12V/ 100AH
LED	LED/color: White / Yellow
	Numbers of LED: 540pcs
	Inside circle: 20000mcd Outside circle: 12500mcd
	Operation time: At night
Luminant	2000 lumin/ 28.8Lux
Size	1579mmx567mmx755mm 77.7 kg
Body	Coating Zinc plated steel plate



SAC01-88XXXXX

Solar Products | Solar Category | Product Number

Reserve code : 0  
Principal color :  
0 = silver gray  
1 = silver  
2 = white

LED color : W white / Y yellow

Number of light/Watt:  
9A= 9L175W  
9B= 9L130W